

1

2




3

4

5

6

MARK	DATE	REVISION	REVISER	APP .BY
△1				
△2				
△3				



MODEL NO	EBL		
MATERIAL	BODY-AL		
	LENS-CHEMICAL TEMPERED GLASS		
	BRACKET-SUS		
COLOR OF LENS	CLEAR		
MODEL	EBL300	EBL500	EBL600
POWER CONSUMPTION	DC 24V	-	15W
	AC 220V	10W	-
LED	CHIP LED		
PROTECTION GRADE	WATER & DUST PROOF IP67		
CABLE ENTRY	M12		

MODEL	B Bracket		C Bracket	
	L1	L2	L1	L2
EBL300	293	313	304	320
EBL500	508	528	515	531
EBL600	592	612	602	618

	ISO2768-1 : CLASS OF TOLERANCE					SURFACE FINISH
	f	m	c	(v)		
FOR LINEAR DIMENSIONS	0.5~3	±0.05	±0.1	±0.2	-	
	3~6			±0.3	±0.5	
	6~30	±0.1	±0.2	±0.5	±1	
	30~120	±0.15	±0.3	±0.8	±1.5	
	120~400	±0.2	±0.5	±1.2	±2.5	
	400~1000	±0.3	±0.8	±2	±4	
FOR ANGULAR DIMENSIONS	0~10	±1°		±1°30'	±3°	
	10~50	±0°30'		±1°	±2°	
	50~120	±0°20'		±0°30'	±1°	
	120~400	±0°10'		±0°13'	±0°30'	

Nr.	DWG NO.	TITLE/NAME	MAL'T	QTY	REFERENCE
DSND BY	CHKD BY	CHKD BY	APRV BY	VIEW	DATE
J.K.HAN	J.H.PARK		J.I.BAE	3	2022.9.20
TITLE			MODEL		
EBL OUTLINE DRAWING			EBL		
			DWG. NO.		
			EBL_OUT		
SCALE	SIZE	REV	SHEET		
N/S	A4	00	1/1		

1

2

3

4

5

6 A4(297X210)