타워램프 취부대

당사의 타워램프는 설치환경이나 조건에 따라 다양한 취부대를 사용할 수 있습니다.

단위: mm

· 18mm SCREW & NUT(표준형)
· 24mm SCREW & NUT(표준형)

Pole이 취부된 표준형 제품입니다.
Pole의 끝단에 나사가 가공되어 있고
취부에 필요한 너트가 체결되어 있습니다.

재질: Steel

외형	치수 및 적용 제품
 18mm SCREW & NUT (표준형)	 ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
 24mm SCREW & NUT (표준형)	 ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

· LB18 | LB24

표준 Pole 취부 제품에 'L형' 취부대가 장착된
제품입니다. 벽면과 같은 수직면에 제품을
취부할 때 사용됩니다.

재질: Steel

외형	치수 및 적용 제품
 LB18	 ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
 LB24	 ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

타워램프 취부대

단위: mm

· LW18 | LW24

고급형 수직 취부대입니다. 벽면과 같은 수직면에 제품을 취부할 때 사용되며, 전선은 벽면 또는 Pole의 하부로 인출할 수 있습니다. 특히 Pole의 하부에 케이블 커넥터를 체결할 수 있는 나사가 가공되어 후렉시블 전선관 등을 사용할 수 있습니다.

재질: ABS
색상: Ivory

외형	치수 및 적용 제품
 LW18	 ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
 LW24	 ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

· SZ18 | SZ24

제품을 수평면에 취부할 때 사용하는 원형 취부대입니다.

재질: Al
색상: Silver

외형	치수 및 적용 제품
 SZ18	 ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
 SZ24	 ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

타워램프 취부대

단위: mm

· QZ18 | QZ24

제품을 수평면에 취부할 때 사용하는 원형 취부대입니다.

재질: ABS
색상: Black

외형	치수 및 적용 제품
 QZ18	 ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
 QZ24	 ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

· SL18 | SL24

0도~180도(15도 간격 설정 가능) 조절이 가능하여 수평면, 수직면, 경사면 등 어떠한 취부 조건에서도 편리하게 취부할 수 있습니다.

재질: Al
색상: Silver

외형	치수 및 적용 제품
 SL18	 ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
 SL24	 ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

타워램프 취부대

단위: mm

· QL18 | QL24

0도~180도(5도 간격 설정 가능) 조절이 가능하여 수평면, 수직면, 경사면 등 어떠한 취부 조건에서도 편리하게 취부할 수 있습니다.

재질: ABS
색상: Black

외형	치수 및 적용 제품
 QL18	 ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series
 QL24	 ST80 Series, STC80 Series, QTG70 Series, QTC70 Series, QTR70 Series, QT70 Series, QTG70-WIZ Series, MTG70 Series, MTC70 Series, MTR70 Series, QAT80 Series, ST80-ETN Series, QTG70-ETN Series, QTC70-ETN Series, QTR70-ETN Series, ST80-USB Series, QTG70-USB Series, QTC70-USB Series, QTR70-USB Series

· FB18

0도~180도(5도 간격 설정 가능) 조절이 가능하여 수평면, 수직면, 경사면 등 어떠한 취부 조건에서도 편리하게 취부할 수 있습니다.

재질: ABS
색상: Black, Ivory

외형	치수 및 적용 제품
 FB18 (흑색)	 EST56L
 FB18 (아이보리)	 EST56L

타워램프 취부대

단위: mm

· TWS45 | TWS80

표준 직부형 수직 취부대입니다.
벽면과 같은 수직면에 제품을 취부할 때 사용됩니다.

재질: Steel
색상: Silver, Ivory

외형	치수 및 적용 제품
 TWS45	 ST45 / ST56M Series, STG40 / STG50M Series, STC45 / STC56M Series, QTG50 / QTG60M Series, QTC50M / QTC60M Series, QTR50 / QTR60M Series, QT50M Series, QTG60M-WIZ Series, MTG50 / MTG60M Series, MTC50 / MTC60M Series, MTR50 / MTR60M Series, QTG50 / QTG60M-USB Series, QTC50 / QTC60M-USB Series, QTR50 / QTR60M-USB Series, QTG50 / QTG60M-ETN Series, QTC50 / QTC60M-ETN Series, QTR50 / QTR60M-ETN Series
 TWS80	 ST80M Series, STC80 Series, QTG70M Series, QTC70M Series, QTR70M Series, MTG70M Series, MTC70M Series, MTR70M Series, QT70M Series, QTG70M-USB Series, QTC70M-USB Series, QTR70M-USB Series, QTG70M-ETN Series, QTC70M-ETN Series, QTR70M-ETN Series, QTG70M-WIZ Series

· TWA45 | TWA80

제품 전원선이 외부로 노출되지 않도록 설계된 고급형 취부대입니다. 벽면과 같은 수직면에 제품을 취부할 때 사용됩니다.

재질: PC
색상: Black, Ivory

외형	치수 및 적용 제품
 TWA45	 ST45 / ST56M Series, STG40 / STG50M Series, STC45 / STC56M Series, QTG50 / QTG60M Series, QTC50M / QTC60M Series, QTR50 / QTR60M Series, QT50M Series, QTG60M-WIZ Series, MTG50 / MTG60M Series, MTC50 / MTC60M Series, MTR50 / MTR60M Series, QTG50 / QTG60M-USB Series, QTC50 / QTC60M-USB Series, QTR50 / QTR60M-USB Series, QTG50 / QTG60M-ETN Series, QTC50 / QTC60M-ETN Series, QTR50 / QTR60M-ETN Series
 TWA80	 ST80M Series, STC80 Series, QTG70M Series, QTC70M Series, QTR70M Series, MTG70M Series, MTC70M Series, MTR70M Series, QT70M Series, QTG70M-USB Series, QTC70M-USB Series, QTR70M-USB Series, QTG70M-ETN Series, QTC70M-ETN Series, QTR70M-ETN Series, QTG70M-WIZ Series

타워램프 취부대

단위: mm

· STAWB25 | STAWB45

슬림형 타워램프 수직 취부대입니다.
벽면과 같은 수직면에 제품을 취부할 때 사용됩니다.

재질: Steel
색상: Silver, Ivory

외형	치수 및 적용 제품
 STAWB25	 STA25SLM, STA35SL, STA35SLM
	 STA45SLM

· LB32

M12커넥터형 수직 취부대입니다.
벽면과 같은 수직면에 제품을 취부할 때 사용됩니다.

재질: Steel
색상: Silver

외형	치수 및 적용 제품
 LB32	 MTG50 Series, MTC50 Series, MTR50 Series, MTG60 Series, MTC60 Series, MTR60 Series, MTG70 Series, MTC70 Series, MTR70 Series

· SLB370

길이 조절형 Pole 제품입니다.
조절 범위 내에서 자유롭게 길이 조절이 가능하며,
Pole 끝단에 나사산이 가공되어 있어 다양한 취부대와 조합하여 사용할 수 있습니다.

재질: PC, Steel
색상: Ivory

 SLB370	 ST45 / ST56 Series, STG40 / STG50 Series, STC45 / STC56 Series, QTG50 / QTG60 Series, QTC50 / QTC60 Series, QTR50 / QTR60 Series, QT50 Series, QTG60-WIZ Series, MTG50 / MTG60 Series, MTC50 / MTC60 Series, MTR50 / MTR60 Series, EST56 Series, ST45 / ST56-ETN Series, QTG50 / QTG60-ETN Series, QTC50 / QTC60-ETN Series, QTR50 / QTR60-ETN Series, ST45 / ST56-USB Series, QTG50 / QTG60-USB Series, QTC50 / QTC60-USB Series, QTR50 / QTR60-USB Series